

**"R2R Fans" are
pre-assembled &
do not require
any additional
setup or
installation
before use. They
are convenient
and easy to use,
suitable for use
in different
settings.**

R2R

READY TO RUN SERIES





VISUAL INDEX R2R

 HANDY-4 010	 DIVO BLADELESS DC FAN 40" 017	 BREEZE PEDESTAL FAN 008	 ALPINE ULTRA MAX TITANIUM 018	 ALPINE PLUS 46" TITANIUM 019	 ALPINE GRAND 48" 020	 OLIVIA INDUSTRIAL PEDESTAL FAN 011	 OLIVIA INDUSTRIAL WALL FAN 011
 BREEZE TABLE FAN 009							
 OLIVIA INDUSTRIAL MIST FAN 012	 OLIVIA MIST PEDESTAL FAN 016	 OLIVIA WATERPROOF WALL FAN 20" 014	 OLIVIA PEDESTAL FAN 013	 OLIVIA WALL FAN 013	 OLIVIA FLOOR FAN 013	 OLIVIA TWIN PEDESTAL FAN 015	
 VENTIANA EXHAUST FAN 023	 BREZA II EXHAUST FAN 023	 ZEPHYR EXHAUST FAN 023	 VIPER EXHAUST FAN WHITE & BLACK 024	 WIND EXHAUST FAN 024	 ARIA PLUS 18" (2X2) 021	 ARIA PLUS SURFACE 022	
					 COMPACT AIR PURIFIER 029	 VOLUME AIR PURIFIER 029	 MAXI AIR PURIFIER 031
 ELIZA CEILING EXHAUST FAN 025	 ELIZA-BTS EXHAUST FAN 025	 ELIZA-PRO EXHAUST FAN 025	 ZENVO EXHAUST FAN 026	 VANTAGE SUER SILENT EXHAUST FAN 026	 VANTAGE MIXFLOW INLINE EXHAUST FAN 026		
 ONE:1 001	 ONE:2 002	 ONE:3 003	 SPYDER PEDESTAL FAN 004	 SPYDER TRIPOD FAN 005	 SPYDER TABLE FAN 006	 SPYDER WALL FAN 007	



ACCESSORIES PRICE LIST (NETT PRICES)

ALUMINIUM COIL:



6 INCHES 5 MTRS: ₹1,460/-
 10 MTRS: ₹2,060/-

4 INCHES 5 MTRS: ₹1,060/-
 10 MTRS: ₹1,660/-

(NETT) NO DISCOUNT

LUCCI / LUFT REMOTE CONTROL



AC REMOTE CONTROL FOR LUFT FANS: ₹1,960/-
 (NETT) NO DISCOUNT

DC REMOTE CONTROL FOR LUFT FANS: ₹3,260/-
 (NETT) NO DISCOUNT
 DC REMOTE FOR LUCCI FANS ON REQUEST

LUCCI CONNECT



LUCCI CONNECT WI-FI FAN REMOTE CONTROL: ₹4,260/-
 (NETT) NO DISCOUNT

INLET GRILL:



INLET GRILL:
 4 INCHES: ₹660/-
 6 INCHES ₹960/-

(NETT) NO DISCOUNT

INLET DISK:



INLET DISK:
 4 INCHES: ₹660/-
 6 INCHES ₹960/-

(NETT) NO DISCOUNT

INLET GRILL WITH LIGHT:



INLET GRILL WITH LIGHT: ₹1,260/-
 (NETT) NO DISCOUNT



MOTION SENSOR FOR EXHAUST:



MOTION SENSOR: ₹1,960/-
 (NETT) NO DISCOUNT

ACCESSORIES FOR HAVANA:




"S" CLAMP: ₹2,760/- (NETT) NO DISCOUNT
 "L" CLAMP: ₹2,360/- (NETT) NO DISCOUNT
 HUGGER FIXTURE: ₹2,460/- (NETT) NO DISCOUNT

**WALL CLAMP FOR CEILING FANS:
 (TO INSTALL ANY CEILING FAN ON WALL)**



WALL CLAMP ACCESSORY: ₹2,360/-
 (NETT) NO DISCOUNT

EXTENSION DOWNRODS UPTO 4FT



PER FEET RATE
 AB/WOOD ₹360/- PER FEET
 ANY OTHER COLOUR ₹260/- PER FEET
 (NETT) NO DISCOUNT
 Above 4 Ft Price on Request

**PAINTING CHARGES FOR 3 BLADE FAN ₹1000/- NETT.
 EVERY EXTRA BLADE ₹300/- EXTRA**



DISCLAIMER


ACTUAL COLORS MAY VARY.

We do our best to ensure that our photos are as true to color as possible. However, due to photographic lighting sources, inconsistencies of various monitors settings, we cannot guarantee that the color you see on our images accurately portrays the true color of the product. Furthermore, every individual may see these colors differently.

SCREEN IMAGES ARE INTENDED AS A GUIDE ONLY AND SHOULD NOT BE REGARDED AS ABSOLUTELY CORRECT.

R2R

READY TO RUN SERIES



Remote Control
Included



360°
Rotation

Matte White

₹13,960/-

Fan Size 14" / 19" OUTER

Fan Material

Metal/ABS

Motor DC

Airflow

80m³/min

Approx Height 8"

Airfeel



ONE:1

INDEX

001

R2R
READY TO RUN SERIES



Gold

3 Colour
LED

Remote Control
Included



ORB



White

Fan Size 22" / 24" OUTER

Fan Material

Metal/ABS

Motor DC

Airflow

95m³/min

Approx Height 12"

Airfeel

All Colours
₹22,960/-

ONE:2



INDEX

002



3 Colour
LED

Bronze with
Brown Black

₹29,960/-

Remote Control
Included



Fan Size 22" / 29" OUTER

Fan Material

Metal/ABS

Motor DC

Airflow

90m³/min

Approx Height 11"

Airfeel



ONE:3

INDEX

003

R2R
READY TO RUN SERIES



*Remote Control
Not Included*



Model: FD-40MJ1

Grill Size: 400MM

Rated Voltage: 230V

Rated Frequency: 50Hz

Rated Power: 50W

White-Teak

All Colours
₹14,960/-

Also Available in
**Black-Dark Wood
Antique Brass**

Fan Size 16"

Fan Material

Metal/ABS

Motor AC

Airflow

59m³/Min

Approx Height 48"

Airfeel



**SPYDER
PEDESTAL FAN**

INDEX

004

R2R
READY TO RUN SERIES



*Remote Control
Not Included*



Model: FD-40MI
Grill Size: 400MM
Rated Voltage: 230V
Rated Frequency: 50Hz
Rated Power: 50W

Black

All Colours
₹16,960/-

Also Available in
Black-Dark Wood
White-Teak

Fan Size 16"
Fan Material
Metal/ABS
Motor AC
Airflow
59m³/Min
Approx Height 52"
Airfeel



SPYDER
TRIPOD FAN

INDEX

005



Remote Control
Not Included



Model: FT-30MJ1

Grill Size: 300MM

Rated Voltage: 230V

Rated Frequency: 50Hz

Rated Power: 35W

Black

All Colours
₹12,960/-

Also Available in
Antique Brass
White-Teak

Fan Size 12"

Fan Material

Metal/ABS

Motor AC

Airflow

15m³/Min

Approx Height 17"

Airfeel



**SPYDER
TABLE FAN**



Off White

Remote Control
Included



Model: WF-40N

Grill Size: 400MM

Rated Voltage: 230V

Rated Frequency: 50Hz

Rated Power: 50W

All Colours
₹16,960/-

Also Available in
Black-Dark Wood
Antique Brass

Fan Size 16"

Fan Material

Metal/ABS

Motor AC

Airflow

64m³/Min

Approx Height 18"

Airfeel



**SPYDER
WALL FAN**

R2R
READY TO RUN SERIES



**Remote Control
Not Included**



- **Height 1500MM**
- **Depth 460MM**
- **Width 400MM**

Brushed Chrome

₹9,960/-

LUCCIAR

Fan Size 16"

Fan Material

Metal/ABS

Motor AC

Airflow

59m³/Min

Approx Height 59"

Airfeel



**BREEZE
PEDESTAL**

INDEX

008

R2R

READY TO RUN SERIES



Black

Remote Control
Not Included



ORB

- Grid diameter 20 cm
- Width: 33 cm
- Height: 29 cm
- Length: 33 cm
- Weight 2.38 kg

LUCCIAR

Fan Size 8"

Fan Material

Metal/ABS

Motor AC

Airflow

64m³/Min

Approx Height 29cm

Airfeel




All Colours
₹3,960/-

**BREEZE
TABLE FAN**

INDEX

009



Specifications:

- **Dimensions:** 137x48x170mm
- **Speeds:** 3 speeds
- **Operating time:** 5/7/10 hours
- **Output Power:** 5W
- **Battery capacity / Voltage:** 2000mAH / 3.7V
- **Charging time:** 3.5 hours
- **Charging voltage:** DC-5V / 1A
- **Weight:** 206g

₹2,960/-

HANDY-4 PORTABLE USB FAN



OLIVIA INDUSTRIAL WALL FAN

26 inch EC Industrial Wall Fan

Electrical Parameter:

BLDC Motor - DC motor without Holzer brushless,
High performance, Fully sealed, Brushless, 6 speeds,
9 hours timer

Input - 220v,50/60Hz,

Maximum Power - 20w-110w

RPM - Minimum RPM=650r/min, Maximum
RPM=1300r/min

Maximum Air Volume - 250m³/min,

Remote Control - Hz433 RF, with learning function

Airfeel  

Remote Control
Included



R2R

READY TO RUN SERIES



Black

₹20,960/-

Customised
Colour
Options
Available!

Intelligent Control

6 wind speed settings
Rotary Switch Control Panel



Height - 145-160cm

OLIVIA INDUSTRIAL PEDESTAL FAN

26" / 30" EC Industrial Pedestal Fan

Electrical Parameter:

BLDC Motor - DC motor without Holzer brushless,
High performance, Fully sealed, Brushless, 6 speeds,
9 hours timer

Input - 220v,50/60Hz,

Maximum Power - 20w-110w

RPM - Minimum RPM=650r/min, Maximum
RPM=1300r/min

Maximum Air Volume - 250m³/min & 290m³/min,

Remote Control - Hz433 RF, with learning function

Manual Control - Knob Type

Airfeel  

Remote Control
Included



Black
26" ₹21,960/-
30" ₹24,960/-

Also Available in
26" / 30"

Intelligent Control

6 wind speed settings
Rotary Switch Control Panel



OLIVIA INDUSTRIAL MIST FAN

Fully sealed BLDC Brushless Motor

Maximum Power - 110W (Fan Only)

210W (With Mist On)

Voltage - 120V,60Hz / 220-240V, 50-60Hz

RPM - Minimum RPM=650r/min,

Maximum RPM=1300r/min

Maximum Air Volume - 256m³/min,

Remote Control - Multi-Function Controller

Manual Control - Knob Type

Grill - Spiral Grill

Blade - 3 Aluminum Blades

Water tank volume - 42 Liters

Continuous spray - 9 Hours

Airfeel

**Remote Control
Included**



OLIVIA INDUSTRIAL MIST FAN

Black
₹37,960/-

OLIVIA SMART DC FANS

18 Blades Patented Design
Mute Technique

Fully sealed BLDC Brushless Motor

Maximum Power - 3w-75w

RPM - Minimum RPM=200r/min,

Maximum RPM=850r/min

Maximum Air Volume - 170m³/min,

Remote Control - Hz433 RF, with learning function

Manual Control - Knob Type (Except for Wall Fan)

Grill - 18 inch 12 lines strong grill (pass the finger testing)

Blade - 18 inch 18 blades design (lowest noise, max air volume) noise 56db

Airfeel 

Remote Control
Included



Black
₹16,760/-

OLIVIA WALL FAN

Remote Control
Included



Customised
Colour
Options
Available!




Height 108-135cm

Remote Control
Included



OLIVIA PEDESTAL FAN

Black
₹17,860/-



OLIVIA FLOOR FAN

Black
₹14,960/-

OLIVIA SMART DC FANS



Customised
Colour
Options
Available!

Black
₹19,960/-

OLIVIA WATERPROOF WALL FAN 20"

Fully sealed BLDC Brushless Motor

Maximum Power - 135W

Voltage - 200-240, 50/60Hz

RPM - Minimum RPM=650r/min,

Speed - 6 wind speed setting

Timer - Timer 9 hours

Remote Control - Hz433 RF,

Waterproof - IP 44 waterproof rating

Blade - 5 Aluminium blades

Airfeel  

**Remote Control
Included**



OLIVIA SMART DC FANS

18 Blades Patented Design
Mute Technique

Intelligent Control

6 wind speed settings
Rotary Switch Control Panel



OLIVIA TWIN PEDESTAL FAN

Fully sealed BLDC Brushless Motor

Maximum Power

1st motor 3w-75w,

2nd motor 3w-75w, total 150w

RPM - Minimum RPM=200r/min,

Maximum RPM=850r/min

Maximum Air Volume

1st motor 170m³/min,

2nd motor 170m³/min, total 340m³/min

Remote Control - Hz433 RF,

Manual Control - Knob Type

Grill - 18 inch 12 lines strong grill

(pass the finger testing)


Blade - 18 inch 18 blades design

(lowest noise, max air volume) noise 56db

Airfeel 

Customised
Colour
Options
Available!

Remote Control
Included



Black
₹29,960/-

OLIVIA SMART DC FANS

18 Blades Patented Design
Mute Technique



Height 108-135cm

Customised
Colour
Options
Available!

Remote Control
Included



Intelligent Control

6 wind speed settings
Rotary Switch Control Panel



OLIVIA MIST PEDESTAL FAN

Fully sealed BLDC Brushless Motor

Maximum Power - 18w-115w (With Mist On)

RPM - Minimum RPM=200r/min,

Maximum RPM=850r/min

Maximum Air Volume - 170m³/min,

Remote Control - Hz433 RF,

Manual Control - Knob Type

Grill - 18 inch 12 lines strong grill

(pass the finger testing)

Blade - 18 inch 18 blades design

(lowest noise, max air volume) noise 56db

Water tank volume - 4 liters

Continuous spray - 8-24 hours

Spray droplet - 0.05-0.20mg

Airfeel 

Black
₹27,960/-



DIVO BLADELESS DC FAN 40"

50w Brushless DC Motor with IONIZER

Full Function LED Display

00-15 Hours Timer

3 Winds Mode Setting

40° Horizontal Oscillation

VOLTAGE: 220~240V/50-60Hz

3 Speed Levels(AC) & 12 Speed Levels (DC)

90° Wide-angle air supply

180 seconds Auto Screen off

Touch button + 6m RF Remote Control

Optional Hepa13 Filter

Airfeel  



RF Remote Control

Titanium
₹14,960/-

R2R
READY TO RUN SERIES

*Remote Control
Included*



NEW & IMPROVED ALPINE PLUS TOWER FAN 46”

Larger Display with Night Mode

Turbo Motor for Stronger Air Delivery

Wider Base for More Stability

3 Pin Plug with Fuse for Enhanced Safety

Remote Control

Airfeel  

Titanium
₹14,960/-

Remote Control
Included



ALPINE GRAND 48"

1. Low Noise, Powerful 40w Copper Motor
2. 3 Speed Setting / Wind Speed 6m/s
3. Timer & Remote Controlled Operation
4. 90 Degree Oscillation
5. Space Saving Sleek Design

Airfeel 

STOCK CLEARANCE



White
₹7,860/-

R2R
READY TO RUN SERIES



**Remote Control
Included**



White Recessed Non LED



SPECIFICATIONS:

- Dimensions 603Lx603Wx219Hmm
- Voltage & Frequency 220V-240V 50Hz
- Motor Power (Watts) 90
- Air flow rate (CFM) 3300
- RPM 1120
- Sweep 380mm
- Noise dB(A) 52
- 80m³/Min Strong Air Delivery.
- 3 Speed Control with Remote.
- Airflow Grille & blade assembly can be easily detached for cleaning.

Fan Size 600x600 mm

Fan Material

ABS

Motor AC

Airflow

80m³/Min

Approx Height 8"

Airfeel



ARIA PLUS
18" (2X2)

R2R
READY TO RUN SERIES



Remote Control
Included



White Surface Non LED



SPECIFICATIONS:

- Dimensions 603Lx603Wx219Hmm
- Voltage & Frequency 220V-240V 50Hz
- Motor Power (Watts) 85
- Air flow rate (CFM) 1952
- RPM 1300
- Sweep 380mm
- Noise dB(A) 54
- 3300m3/Min Strong Air Delivery.
- 3 Speed Control with Remote.
- Airflow Grille & blade assembly can be easily detached for cleaning.

Fan Size 600x600 mm

Fan Material

ABS

Motor AC

Airflow

73m3/Min

Approx Height 8"

Airfeel



**ARIA PLUS
SURFACE**

VENTIANA EXHAUST

DIMENSIONS	AIR DELIVERY	NOISE LEVEL
4" Cutout 98 mm	4" 70 M3 / H	4" - 30 DB
Outer body 150 mm x 140 mm	6" 210 M3 / H	6" - 35 DB
Depth 72 mm	8" 370 M3 / H	8" - 39 DB
6" Cutout 145 mm		
Outer body 200 mm x 190 mm	MOTOR POWER	RPM
Depth 93 mm	4" - 15W	4" - 2450
8" Cutout 195 mm	6" - 25W	6" - 2080
Outer body 268 mm x 255 mm	8" - 25W	8" - 1700
Depth 129 mm		



- Engineering PP Plastic.
- Elegant Design and Low Noise.
- Silicon Steel Motor.
- 100% pure copper winding.
- Built in Thermo cut off for Motor Protection.
- Universal Design for Ceiling/ Glass / Wall.
- Anti-Mosquito and Anti-Rodent Rear Shutters.

4" ₹3,760/-

6" ₹4,960/-

8" ₹7,960/-

SIZE AVAILABLE | COLOURS AVAILABLE
4, 6 & 8 Inches | White (in 6" Only)

BREZA II EXHAUST

- Engineering PP Plastic.
- Elegant Design and Low Noise.
- Silicon Steel Motor.
- 100% pure copper winding.
- Built in Thermo cut off for Motor Protection.
- Universal Design for Ceiling/ Glass / Wall.
- Anti-Mosquito and Anti-Rodent Rear Shutters.



BREZA II EXHAUST


DIMENSIONS	AIR DELIVERY	NOISE LEVEL
6" Cutout 145 mm	210 M3 / H	35 DB
Outer body 200 mm x 190 mm	MOTOR POWER	RPM
Depth 93 mm	25W	2080

SIZE AVAILABLE | COLOURS AVAILABLE
6 Inches | Steel/Grey

6" ₹5,360/-

ZEPHYR EXHAUST FAN


DIMENSIONS	AIR DELIVERY	NOISE LEVEL
Cutout 150 mm	210 M3 / H	35 DB
Outer body 204 mm x 204 mm	MOTOR POWER	RPM
Depth 108 mm	25W	1800



- Universal design for ceiling/glass or wall mount
- Modern fascia
- Long life premium motor
- Easy to install and clean
- Anti mosquito rear shutters

SIZE AVAILABLE | COLOURS AVAILABLE
6 Inches | White

6" ₹4,560/-



- Engineering PP Plastic.
- Elegant Design and Low Noise.
- Silicon Steel Motor.
- 100% pure copper winding.
- Built in Thermo cut off for Motor Protection.
- Universal Design for Ceiling / Glass / Wall.
- Anti-Mosquito and Anti-Rodent Rear Shutters.

VIPER EXHAUST

DIMENSIONS	AIR DELIVERY	NOISE LEVEL
4" Cutout 100 mm	4" 100 M3 / H	4" - 33 DB
Outer body 148 mm x 148 mm	6" 300 M3 / H	6" - 37 DB
Depth 85 mm	MOTOR POWER RPM	
6" Cutout 150 mm		
Outer body 215 mm x 215 mm	4" - 15W	4" - 2450
Depth 111 mm	6" - 25W	6" - 2250


SIZE AVAILABLE | COLOURS AVAILABLE
4 & 6 Inches | White | Black

White *White* *Black*
4" ₹1,660/- 6" ₹2,460/- 6" ₹2,560/-



- Engineering PP Plastic.
- Elegant Design and Low Noise.
- Silicon Steel Motor.
- 100% pure copper winding.
- Built in Thermo cut off for Motor Protection.
- Universal Design for Wall / Glass / Ceiling
- Anti-Mosquito and Anti-Rodent Rear Shutters.

SIZE AVAILABLE | COLOURS AVAILABLE
8 Inches | Off - White




	A	B	C	D
EXW-B8	257mm	8mm	129mm	196mm

WIND EXHAUST

DIMENSIONS	AIR DELIVERY	NOISE LEVEL
8" Cutout 196 mm	370 M3 / H	39 DB
Outer body 257 mm x 257 mm	MOTOR POWER RPM	
Depth 129 mm		
	25W	1700

8" ₹4,960/-



A	B	C	D	E	F
270mm	5mm	40mm	98mm	215mm	265mm

ELIZA CEILING EXHAUST


DIMENSIONS	AIR DELIVERY	NOISE LEVEL
Cutout 228 mm	200 M3 / H	40 DB
Outer body 270 mm x 270 mm	MOTOR POWER	RPM
Depth 149 mm	24W	1700

₹5,760/-



- Engineering PP Plastic.
- Elegant Design and Low Noise.
- Silicon Steel Motor.
- 100% pure copper winding.
- Built in Thermo cut off for Motor Protection.
- Specially Designed for Ceiling.
- Anti-Mosquito and Anti-Rodent Rear Shutters.

SIZE AVAILABLE | COLOURS AVAILABLE
270 mm x 270 mm | Off - White



ELIZA-BTS

Bluetooth Speaker

DIMENSIONS	AIR DELIVERY	NOISE LEVEL
6" Cutout 145 mm	200 M3 / H	40 DB
Outer body 200 mm x 190 mm	MOTOR POWER	RPM
Depth 93 mm	24W	2080


₹9,960/-

- Universal design for ceiling
- Modern fascia
- Long life premium motor
- Easy to install and clean
- Built in Bluetooth Speaker

SIZE AVAILABLE | COLOURS AVAILABLE
270mm x 270mm | White
4" Outlet



Turbo
PERFORMANCE
Upto 50 Mtrs Suction In Straight Line



A	B	C	D	E
270mm	15mm	24mm	98mm	228mm

ELIZA-PRO

DIMENSIONS	AIR DELIVERY	NOISE LEVEL
Cutout 100 mm	200 M3 / H	35 DB
Outer body 204 mm x 204 mm	MOTOR POWER	RPM
Depth 108 mm	24W	1350

White
₹8,160/-

Black
₹8,460/-

- Universal design for ceiling
- Modern fascia
- Long life premium motor
- Easy to install and clean
- Built in Bluetooth Speaker

SIZE AVAILABLE | COLOURS AVAILABLE
270mm x 270mm | White
4" Outlet



With Full Glass Panel

- Engineering PP Plastic.
- Elegant Design and Low Noise.
- Silicon Steel Motor.
- 100% pure copper winding.
- Built in Thermo cut off for Motor Protection.
- Universal Design for Ceiling/ Glass / Wall.
- Anti-Mosquito and Anti-Rodent Rear Shutters.

LED Light

ZENVO EXHAUST

DIMENSIONS	AIR DELIVERY	NOISE LEVEL
6" Cutout 150 mm	6" 210 M3 / H	35 DB
Outer body 211 mm x 191 mm	MOTOR POWER	RPM
Depth 109 mm	25W	2080

₹5,660/-

SIZE AVAILABLE | COLOURS AVAILABLE
6 Inches | Glass - White | Glass - Black



- Engineering PP Plastic.
- Elegant Design and Low Noise.
- Silicon Steel Motor.
- 100% pure copper winding.
- Built in Thermo cut off for Motor Protection.

DIMENSIONS	HEIGHT	WIDTH	DEPTH
4"	270MM	200MM	600MM
6"	290MM	225MM	500MM

VANTAGE SUPER SILENT

AIR DELIVERY	NOISE LEVEL	MOTOR POWER	RPM
4" 210 M3 / H	4" - 24 DB	4" - 25W	4" - 2450
6" 520 M3 / H	6" - 24 DB	6" - 55W	6" - 2550

4" ₹16,960/- 6" ₹19,960/-


SIZE AVAILABLE | COLOURS AVAILABLE
4 & 6 Inches | White

	A	B	C	D	E
4"	297mm	234mm	177mm	22mm	97mm
6"	307mm	256mm	200mm	78mm	145mm

VANTAGE MIXFLOW INLINE EXHAUST

AIR DELIVERY	NOISE LEVEL	MOTOR POWER	RPM
4" 210 M3 / H	4" - 41 DB	4" - 35W	4" - 2450
6" 520 M3 / H	6" - 45 DB	6" - 60W	6" - 2550

4" ₹9,160/- 6" ₹13,660/-



- Engineering PP Plastic.
- Elegant Design and Low Noise.
- Silicon Steel Motor.
- 100% pure copper winding.
- Built in Thermo cut off for Motor Protection.

SIZE AVAILABLE | COLOURS AVAILABLE
4 & 6 Inches | Off - White



WHY USE AN EXHAUST FAN?

There are 3 main reasons as to use exhaust fans:

To remove impurities in the air (moisture, smells, smoke, heat etc)

To encourage air circulation within an area

To transfer tempered (warm/cool) air from one place to another

These factors play a part in determining which exhaust fan will be suitable for the desired application. It can also be used to help eliminate condensation and mould in moisture exposed spaces.

This is a general guide to the majority of exhaust fans.

The steps required in picking out the correct exhaust fan are:

Determine what variant of exhaust is required and how it will be mounted (eg wall, ceiling, window etc)

Calculate the area being exhausted (Length x Width x Height). This will give you a figure in m³ (cubic meters)

Multiply this with the number of air-changes required (8 for a subfloor/meeting area, 13-15 for a bathroom or toilet, 15+ for smoke exhaust). If you like to have long, hot showers or are concerned about steaming up the bathroom then please use a figure of 15-20 air changes per hour

Determine whether to duct directly into the roof space, or through a wall.

Kinds of Inline fans

Mixflow Inline Fans: Mixed Flow Inline exhaust fans are a mixture between the Axial and Centrifugal models. They have good airflow and good pressure characteristics, can be used for longer runs of duct, bends, branches, etc. They show centrifugal fan characteristics from a size of 150mm upwards and axial fan characteristics for sizes smaller than 150mm.

Well Suited Applications for a Mix Flow Motor

Medium/Large bathroom, ensuite or laundry

Installation that has a moderate amount of ducting (from 0-20 meters approx)

Axial Inline Fans: Axial fan motors are generally suited to applications that require high extraction at a low pressure. Low pressure means that the fan is not particularly well suited when a long duct run is needed.

Well suited Applications for an Axial motor

A small toilet

A small bathroom, ensuite or laundry

An installation that has minimal ducting (less than a few meters).

Centrifugal Inline Fans:

A centrifugal extraction fan motor is the opposite to an axial motor in terms of its characteristics when dealing with pressure.

The centrifugal motor has been engineered to operate with long duct runs which may have bends, junctions and multiple inlets/outlets.


Well suited Applications for a Centrifugal motor

Large heat transfer systems

Large Sub floor ventilation systems

Servicing a large area

An installation that has a vast amount of ducting (20 meters or more)

HOW TO SELECT EXHAUST FAN		Recommended Air Changes															
<p>1. Calculate the room volume : Length x Width x Height Eg. A Bathroom that is 3m by 2m and 2.5m high = 15m³</p> <p>2. Calculate required air movement: Room Volume x Recommended Air Changes Eg. 15m³ bathroom with 10 changes per hour is 15x10=150m³/h</p>	<p>So you have to select an exhaust fan with Air delivery of 150m³/h or greater.</p> 	<table border="1"> <thead> <tr> <th>RESIDENTIAL PREMISES</th> <th>PREMISE TYPE</th> <th>RECOMMENDED AIR CHANGES PER HOUR</th> </tr> </thead> <tbody> <tr> <td></td> <td>Kitchen</td> <td>10</td> </tr> <tr> <td></td> <td>Bathroom</td> <td>12</td> </tr> <tr> <td></td> <td>Large Bathroom</td> <td>10</td> </tr> <tr> <td></td> <td>Toilet / Powder Room</td> <td>10</td> </tr> </tbody> </table>	RESIDENTIAL PREMISES	PREMISE TYPE	RECOMMENDED AIR CHANGES PER HOUR		Kitchen	10		Bathroom	12		Large Bathroom	10		Toilet / Powder Room	10
RESIDENTIAL PREMISES	PREMISE TYPE	RECOMMENDED AIR CHANGES PER HOUR															
	Kitchen	10															
	Bathroom	12															
	Large Bathroom	10															
	Toilet / Powder Room	10															

ACCESSORIES (NETT PRICES NO DISCOUNT)

ALUMINIUM COIL:



6 INCHES 5 MTRS: ₹1,460/-

10 MTRS: ₹2,060/-

4 INCHES 5 MTRS: ₹1,060/-

10 MTRS: ₹1,660/-

(NETT) NO DISCOUNT

LUCCI / LUFT REMOTE CONTROL



AC REMOTE CONTROL
FOR LUFT FANS:

₹1,960/-

(NETT) NO DISCOUNT

DC REMOTE CONTROL
FOR LUFT FANS:

₹3,260/-

(NETT) NO DISCOUNT

DC REMOTE FOR LUCCI FANS ON REQUEST



LUCCI CONNECT WI-FI FAN
REMOTE CONTROL

₹4,260/-

(NETT) NO DISCOUNT



INLET GRILL:



INLET GRILL:

4 INCHES: ₹660/-

6 INCHES ₹960/-

(NETT) NO DISCOUNT

INLET DISK:



INLET DISK:

4 INCHES: ₹660/-

6 INCHES ₹960/-

(NETT) NO DISCOUNT

INLET GRILL WITH LIGHT:



INLET GRILL

WITH LIGHT: ₹1,260/-

(NETT) NO DISCOUNT

MOTION SENSOR FOR EXHAUST:



MOTION SENSOR

₹1,960/-

(NETT) NO DISCOUNT

ACCESSORIES FOR HAVANA:



"S" CLAMP

₹2,760/-

(NETT) NO DISCOUNT

"L" CLAMP

₹2,360/-

(NETT) NO DISCOUNT

HUGGER FIXTURE

₹2,460/-

(NETT) NO DISCOUNT

WALL CLAMP FOR CEILING FANS: (TO INSTALL ANY CEILING FAN ON WALL)



WALL CLAMP ACCESSORY

₹2,360/-

(NETT) NO DISCOUNT

EXTENSION DOWNRODS UPTO 4FT

PER FEET RATE

AB/WOOD ₹360/- PER FEET

ANY OTHER COLOUR ₹260/- PER FEET

(NETT) NO DISCOUNT

Above 4 Ft Price on Request

**PAINING CHARGES FOR 3 BLADE FAN ₹1000/- NETT.
EVERY EXTRA BLADE ₹300/- EXTRA**



COMPACT AIR PURIFIER

COMPACT AIR PURIFIER H13

LUCCIAR



COMPACT
AIR PURIFIER H13 FILTER

₹2,900/-



₹12,960/-

SPECS

- Size 195 X 195 X 402mm
- Colour White with black detail
- Modes High/Medium/Low
- Rated voltage 220-240V~, 50/60Hz
- Rated wattage 35W
- Max. Airflow/CADR 90m³/h
- Coverage Area ≤ 11m²
- Filter type Replaceable H13 HEPA ALL IN ONE
(Included / replaced filter sold separately)
- Filter life 2200 hours
- Noise level < 50 dB on high
- Timer 2/4/8 hours
- Night Light N/A
- Child Lock N/A
- Insulation class Class II
- Plug & Play Yes
- IP rating IP20
- Certification CE by Waltek



**VOLUME
AIR PURIFIER**

VOLUME AIR PURIFIER H13

LUCCIAR



₹14,960/-

SPECS

Size 195 X 195 X 388mm

Colour White with black detail

Modes High/Medium/Sleep

Rated voltage 100-240V~, 50/60Hz

Rated wattage 23W

Max. Airflow/CADR 130m³/h

Coverage Area ≤ 16m²

Filter type Replaceable H13 HEPA ALL IN ONE

(Included / replaced filter sold separately)

Filter life 2200 hours

Noise level < 50 dB on high

Timer 2/4/8 hours

Night Light N/A

Child Lock N/A

Insulation class Class II (Power adaptor included)


Plug & Play Yes

IP rating IP20

Certification CE by Waltek



VOLUME
AIR PURIFIER H13 FILTER




₹3,900/-



**MAXI
AIR PURIFIER**

MAXI AIR PURIFIER H13

LUCCIAR



MAXI
AIR PURIFIER H13 FILTER



₹24,960/-

SPECS

Size 270 X 303 X 497mm

Colour White with black detail

Modes High/Medium/Sleep

Rated voltage 220-240V-, 50/60Hz

Rated wattage 50W

Max. Airflow/CADR 400m³/h

Coverage Area ≤ 50m²

Filter type Replaceable H13 HEPA ALL IN ONE

(Included / replaced filter sold separately)

Filter life 2200 hours

Noise level < 50 dB on high

Timer 2/4/8 hours

Night Light Yes

Child Lock Yes

Insulation class Class II

Plug & Play Yes

IP rating IP20

Certification CE by Waltek

₹4,900/-

LUCCIAR



LÜFT[®]

INTERNATIONAL

KICHLER



IMASU[®]

BAYSIDE



SCAN QR CODE TO DOWNLOAD E-CATALOGUE

Luft International
92 Latitude Promenade
Truganina, Victoria-3029
Australia

www.luft.co.in